



EOS-ENVIRO Hook Lift SC 266/ICAK-20-M

with high-tensile, rigid steel hook arm for lifting of 20' ISO Containers (with GMC Adapter). Suitable for all commonly used truck chassis. Made of wear resistant DOMEX-Steel.

Features: Heavy duty design, reliability, low maintenance costs.

Lifting capacity: max. 25 tons (also available with 18tons/20 tons/30 tons & 35 tons)
Container Lengths: from 4,800 mm up to 6,500 mm
Tare weight: 5,000 kg, Subframe/Distance between Rails: 1,060 mm
Loading Angle: 26°, Tipping Angle: 52°
4 x Twist Locks for securing of 20' ISO Containers/ 2 x Foldable Rear Roller Bearings
Mechanical 20' ISO Spreader/Adapter Kit for attaching 20' ISO Containers
Front & Rear hydraulic external locking/Pneumatic security device on the hook
Hydraulically adjustable hook height from 1,430 up to 1,570 mm
Hydraulically operated rear roll stabilizer/Electric, wired control unit
Supplementary hydraulic function for trailer/Hydraulic Main Distributor
Hydraulic Oil Tank with Filter: 140 ltrs. (Hydraulic Oil Pump with 60 ltrs./min. Required)
Working pressure: 350 bar
CE Certificate (acc. to Machine Directive 2006/42/CE)
Technical Drawing, Installation Instruction & Operating Manual in English language
Fabricated Modules: Assembled in Italy
Delivery: Fully fabricated as a module/mounting kit with hydraulic hoses
Coating: Colour on your request acc. to RAL-List
Warranty: 1 year on hydraulic components/2 years on structural parts

On request available:

Radio Remote Control
Military Version

We retain the right of alterations without prior notice.

Status: April 2012 (Updated January 2016)

**No.89, 6F, Chingdong St., 70144 Tainan/Taiwan ROC * Website: www.eos-enviro.com
Ph.: +886 6 78 73 708 * Cell Phone: +886 9 3334 6753
Business No. 28980981 * Registered as Im- & Exporter by MOEA/BOFT
E-mail: eos@eos-enviro.com**



Pic. 1: EOS-ENVIRO Hook Lift SC 266 with Adapter Kit for 20' ISO Container



Pic. 2: EOS-ENVIRO Hook Lift SC 266 with Adapter Kit for 20' ISO Container



Pic. 3: EOS-ENVIRO Hook Lift with Platform & Crane

No.89, 6F, Chingdong St., 70144 Tainan/Taiwan ROC * Website: www.eos-enviro.com

Ph.: +886 6 78 73 708 * Cell Phone: +886 9 3334 6753

Business No. 28980981 * Registered as Im- & Exporter by MOEA/BOFT


E-mail: eos@eos-enviro.com



Pic. 4: EOS-ENVIRO Hook Lift SC 266 with Adapter Kit/20' ISO Container on Trailer



Pic. 5: EOS-ENVIRO Hook Lift SC 266 with Adapter Kit for 20' ISO Container



Pic. 6: EOS-ENVIRO Hook Lift Module with 20' ISO Adapter/Technical Drawing



We retain the right of alterations without prior notice.

No.89, 6F, Chingdong St., 70144 Tainan/Taiwan ROC * Website: www.eos-enviro.com

Ph.: +886 6 78 73 708 * Cell Phone: +886 9 3334 6753

Business No. 28980981 * Registered as Im- & Exporter by MOEA/BOFT

E-mail: eos@eos-enviro.com